



Close this window

SDS

**Common Name:** LUBE 400

**Manufacturer:** PURE ASPHALT

**SDS Revision Date:** 12/10/2009

**SDS Format:** ANSI-OSHA

**Grainger Item Number(s):** 20HW15, 20HW16, 20HW17, 20HW18

**Manufacturer Model Number(s):**

## SDS Table of Contents

Click the desired link below to jump directly to that section in the SDS.

[SECTION I - PRODUCT IDENTIFICATION](#)

[SECTION II - INGREDIENTS](#)

[SECTION III - HAZARD INFORMATION/EXPOSURE LIMIT](#)

[SECTION IV - PHYSICAL DATA](#)

[SECTION V - FIRE AND EXPLOSION DATA](#)

[SECTION VI - EMERGENCY AND FIRST AID PROCEDURES](#)

[SECTION VII - REACTIVITY, STORAGE & HANDLING](#)

[SECTION VIII - ENVIRONMENTAL PROTECTION / SPILL AND](#)

[SECTION IX - ADDITIONAL INFORMATION](#)

[SECTION X - WASTE DISPOSAL](#)

[SECTION XI - ADDITIONAL INFORMATION](#)

MATERIAL SAFETY DATA SHEET

PURE LUBE 400 & 400 SUB-AQUEOUS

## SECTION I - PRODUCT IDENTIFICATION



MANUFACTURER:

PURE ASPHALT CO.

3300 W. 31ST STREET

CHICAGO, IL 60623

TECHNICAL PRODUCT INFORMATION: (773) 247-7030

EMERGENCY SPILL & HEALT INFORMATION: (800) 424-9300 (CHEMTREC)

DATE PREPARED: 12/10/2009

SUPERSEDES MSDA DATED: 10/2/2008

PRODUCT NAME: PURE LUBE 400

**SECTION II - INGREDIENTS**

INGREDIENT NAME	CAS NO.	TLV/PEL
CLAY	1332-58-7	TWA: 15 MG/M.
VEGETABLE OIL	61788-67-8	NOT AVAILABLE

**SECTION III - HAZARD INFORMATION/EXPOSURE LIMIT**

## HAZARD INDEX:

HEALTH 1  
FLAMMABILITY 1  
REACTIVITY 0

4 SEVERE HAZARD  
3 SERIOUS HAZARD  
2 MODERATE HAZARD  
1 SLIGHT HAZARD  
0 MINIMAL HAZARD

NO ESTABLISHED EXPOSURE LIMITS. LD-50: &gt;5 G/KG

THIS PRODUCT CONTAINS NO INGREDIENTS LISTED BY IARC, NPT, OR OSHA

## STATEMENT OF HAZARD:

## WARNING:

IRRITANT, EYES & SKIN  
CAUSES IRRITATION TO EYES  
AVOID CONTACT WITH EYES, SKIN, AND CLOTHING.  
WASH THOROUGHLY AFTER USE.

## NOTE:

ALL DATA IS OBTAINED THROUGH EXPERIMENTAL LABORATORY METHODS AND INTENDED AS TYPICAL OF NORMAL PRODUCTION. SEE SECTION IV FOR EMERGENCY AND FIRST AID PROCEDURES.

**SECTION IV - PHYSICAL DATA**

APPEARANCE/ODOR: AMBER PASTE, BLAND ODOR

BOILING POINT: >250 DEG. F.

DENSITY: >1

VAPOR PRESSURE: N/A

VAPOR DENSITY: N/A (AIR =1)

PHY OF PRODUCT: N/A

## SECTION V - FIRE AND EXPLOSION DATA



FLASHPOINT: >300 DEG. F.

UPPER EXPLOSION LIMIT: N/A

LOWER EXPLOSION LIMIT: N/A

EXTINGUISHING MEDIA: ANY STANDARD EXTINGUISHING MEDIA WILL BE SUITABLE.

HAZARDOUS DECOMPOSITION PRODUCTS: NONE

FIREFIGHTING PROCEDURES OR OTHER INFORMATION: NONE

## SECTION VI - EMERGENCY AND FIRST AID PROCEDURES



IN CASE OF CONTACT WITH EYES, FLUSH EYES WITH COPIOUS VOLUME OF WATER.

IF IRRITATION PERSISTS, SEE PHYSICIAN.

RINSE SKIN WITH WATER.

WASH CLOTHING BEFORE REUSE.

## SECTION VII - REACTIVITY, STORAGE & HANDLING



THIS PRODUCT IS WATER SOLUBLE. IT IS STABLE.

HAZARDOUS POLYMERIZATION WILL NOT OCCUR.

THERE ARE NO KNOWN DECOMPOSITION PRODUCTS, UNDER NORMAL USE.

AVOID CONTACT WITH STRONG OXIDIZERS.

SPECIAL HANDLING INSTRUCTIONS: NONE

## SECTION VIII - ENVIRONMENTAL PROTECTION / SPILL AND



## LEAK PROCEDURES

THIS PRODUCT IS BIODEGRADABLE. SHOVEL MATERIALS INTO CONTAINERS FOR DISPOSAL, FLUSH REMAINING MATERIAL TO SEWAGE TREATMENT FACILITY, IN ACCORDANCE WITH APPLICABLE REGULATIONS.

CAUTION: SPILL AREA MAY BE SLIPPERY.

## SECTION IX - ADDITIONAL INFORMATION



NOT CONSIDERED A HAZARDOUS MATERIAL UNDER DOT REGULATIONS.

## SECTION X - WASTE DISPOSAL



BIODEGRADABLE

FLUSH TO SEWAGE TREATMENT FACILITY IN ACCORDANCE WITH REGULATIONS.

DISPOSE OF IN ACCORDANCE WITH ALL FEDERAL, STATE AND LOCAL DISPOSAL REGULATIONS. IF UNCERTAIN OF LOCAL REQUIREMENTS, CONTACT EHT PROPER ENVIRONMENTAL AUTHORITIES.

CONTAINER DISPOSAL: OFFER TO RECONDITIONER FOR RECYCLING.

## SECTION XI - ADDITIONAL INFORMATION



SLIPPERY CONDITIONS EXIST WHEN MATERIAL IS SPILLED; USE CAUTION WHEN CLEANING UP SPILLAGE.

WE BELIEVE THE STATEMENTS, TECHNICAL INFORMATION AND RECOMMENDATIONS CONTAINED HEREIN ARE RELIABLE, BUT THEY ARE GIVEN WITHOUT WARRANTY OR GUARANTEE OF ANY KIND, EXPRESS OR IMPLIED AND WE ASSUME NO RESPONSIBILITY FOR ANY LOSS, DAMAGE, OR EXPENSE, DIRECT OR CONSEQUENTIAL, ARISING OUT OF THEIR USE.